AAC 221

PRODUCT FACT SHEET





AAC 221


DESIGN BY HEE WELLING & HAY, 2022

Featuring a swivel base in aluminium, the AAC 220 has a slightly more formal expression than the other variants in the series. Retaining the fundamental idea shared by the AAC family, this model is characterised by a curved shell with a slightly higher back. Designed with optimal functionality in mind, the shell construction offers a deep, generous seat that combines inviting aesthetics with a high level of comfort, whilst the lower armrests provide good support and enable the chair to fit underneath a table or desk. The base is available in either polished or powdercoated aluminium, and the post-consumer recycled plastic shell is available in different colours and finishes, providing a multitude of design combinations that give this series versatility in a wide range of corporate, public, and private contexts.

HIGHLIGHTS

- · Part of a multi-functional family of dining and conference chairs, office chairs, bar stools, lounge chairs, tables, an ottoman and a sofa.
- ·The curved shell has a slightly higher back and a deep generous seat.
- ·Lower armrests offer good support, whilst enabling the chair to fit underneath a table.
- ·The shell is made from 100% post-consumer recycled plastic and comes in three colours.
- · Available with full upholstery, a standard and a soft quilted version in all standard fabrics and leathers.
- ·The aluminium base comes in two finishes.
- ·Other base options are: Moulded plywood base, solid wood base, 4-leg steel tube base and 5-star swivel base with wheels and gas lift.
- · Suitable for a wide variety of private and public environments.
- · Qualified for contract use.

DIMENSIONS















WIDTH 59 CM | 23.25" DEPTH 54 CM | 21.25" HEIGHT 82 CM | 32.25" SEAT HEIGHT 46,5 CM | 18.25" SEAT DEPTH 42 CM | 16.50"

WIDTH 59 CM | 23.25" DEPTH 54 CM | 21.25" HEIGHT 82 CM | 32.25" SEAT HEIGHT 46,5 CM | 18.25" SEAT DEPTH 42 CM | 16.50"

MATERIALS

SHELL
Injection moulded solid-coloured
polypropylene shell with armrest. Made
from 100% post-consumer recycled PP.

FULL UPHOLSTERY
20 mm foam

SOFT UPHOLSTERY 20 mm foam. 20 mm wadding

4-star swivel base in cast aluminium.

GLIDER Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors. CMHR foam (fire retardant).

CONSTRUCTION

4 single legs connected around a cast conical center, reinforced with metal brackets for additional strength. With swivel function.

COUNTRY OF ORIGIN

Poland

BASE COLOUR & FINISH

Please note that the colour codes are indicative.





FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

LINK TO OVERVIEW

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

LINK TO ENVIRONMENTAL PROFILE

TESTS

EN 16139:2013

Furniture - Strength, durability and safety - Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

LINK TO CARE & MAINTENANCE

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO DIGITAL LIBRARY - AAC 221

LINK TO DIGITAL LIBRARY - AAC 221 SOFT