
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources											
Supplier's name or trade mark: UMAGE Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK Model identifier: 2259 (light-source)											
							Type of light so	urce:			
							Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		LED strip									
(or other electric interface)											
Mains or non-mains:		NMLS	Connected light source (CLS):	No							
Colour-tuneable light source:		No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers							
		Product para	 meters	Ciric dillillers							
Parameter		Value	Parameter	Value							
General product parameters:											
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		16	Energy efficiency class	E							
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 150 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 400 or 2 700 or 3 000							
On-mode power (P <sub>on</sub> ), ex- pressed in W		15,1	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	92							
Outer dimen-	Height	8	Spectral power dis-	See image							
sions without separate con-	Width	960	tribution in the range 250 nm to 800	in last page							
trol gear, light-		1	nm, at full-load								

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,439			
		nates (x and y)	0,402			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	62	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 14/07/2024



EPREL registration number: 1990416 https://eprel.ec.europa.eu/qr/19

90416

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

**Customer care service:** 

Name: UMAGE ApS Website: www.umage.com

**Address:** 

Havnegade 29 1058 Copenhagen

Denmark