4.6 WATT | 250 LUMENS | 2000K TO 2800K

Decorative, dim to warm LED lightbulb. This lamp uses 4.6 Watts of power and achieves 250 Lumens at a CRI of 95. It has an IP54 rating.

LAMP

Shape: G50 Materials: Soda-lime Glass and Brass Cap Finish: Matte White Beam angle: 360° Base: E14 Weight: 17g Working temperature: -5°C to 40°C Warm up time: Instant Warranty: 3 years Input Voltage: 220-240V

BULB DIMENSIONS

50 x 79 mm (Width x Length)

PERFORMANCE

CRI (colour rendering index)	95
Lamp lumen output	250lm
Flicker	<5%
Lumens per circuit watt (LM/W)	55lm/W
Lifetime (TM-21) (hours)	15,000hrs
Colour Temperature	2000K - 2800K
Power factor	0.9

DIMMING

Dimmable: Yes Dimming type: Trailing edge Recommended EU Dimmer: Varilight - V-pro

Please see the product family datasheet for a full list of compatible dimmers.

135° 150° 165 180 165° 150° 135° 24 20 120 120° 16 12 105° 105 90' 90° 75° 75° 60 60° 45 15 0 15 30° 45° 30 cd 250 lm C0 - C180 C90 - C270

IES/LDT FILE

Available upon request.

EAN UK: 5060400152902



www.tala.co.uk | hello@tala.co.uk | +44 (0) 20 3026 3246

Specification subject to change without notice. Refer to our website for the most recent product documentation.





POLAR DIAGRAM

DIM TO WARM TECHNOLOGY