


# m o o o i<sup>®</sup>



## Prop Light

---

Prop Light by Bertjan Pot represents the perfect lighting solution for literally any kind of interior. Whether you prop it up against a wall, hang it from a ceiling or place it on a floor, its bubbly form and pure spirit brighten up any kind of environment with a fresh, timeless elegance. Enjoy ethereal spheres of light in your home, at the office or in a public space.

---

<b>Designer</b>	Bertjan Pot
<b>Year of design</b>	2013
<b>Material</b>	HIPS housing; PMMA lightguide; Glass bulbs


---

## detailing



Prop Light is equipped with a comfortably warm LED light source, spreading it's light by a specially developed optics. All versions are dimmable.

## colours



White body  
RAL9016

## packaging

### Prop Light Single

H 40 cm | 15,7"  
W 40 cm | 15,7"  
D 105 cm | 41,3"

Colli 1/1

Product weight:  
5 KG | 11 lb  
With packaging:  
10 KG | 22 lb

### Prop Light Double

H 40 cm | 15,7"  
W 40 cm | 15,7"  
D 105 cm | 41,3"

Colli 1/1

Product weight:  
6 KG | 13,2 lb  
With packaging:  
10 KG | 22 lb

### Prop Light Double Vertical

H 40 cm | 15,7"  
W 40 cm | 15,7"  
D 105 cm | 41,3"

Colli 1/1

Product weight:  
6 KG | 13,2 lb  
With packaging:  
10 KG | 22 lb

### Prop Light Double Horizontal

H 40 cm | 15,7"  
W 40 cm | 15,7"  
D 105 cm | 41,3"

Colli 1/1

Product weight:  
6 KG | 13,2 lb  
With packaging:  
10 KG | 22 lb

## cleaning instructions

Can be effectively cleaned using a regular household dust cloth or feather duster. Lightly dust inbetween each component when the lamps are not in use. Moooi recommends always reading the label of any cleaning products you wish to use on or near any item from the Moooi collection. For further information on how to clean this product please contact your nearest Moooi agent or dealer which can be located through our website.

---

## technical



**input voltage:**  
110-240V ~50Hz AC

*Not yet cULus listed though suitable  
for the North American market.*



**amount of LED's:**  
Prop Light Single: 18  
Prop Light Double: 36

**colour temperature (degrees Kelvin, K) / colour rendering index:**  
Approx. 2000K / CRI\_Ra min. 80

**luminous flux (Lumen, lm):**  
Prop Light Single: 800lm  
Prop Light Double: 1600lm

**power consumption:**  
Prop Light Single: MAX 10.3W  
Prop Light Double: MAX 21W

**canopy:**  
matching white pebble

**cable length & colour:**  
4M | 13ft, transparent

**dimnable:**  
yes, mains dimmable

---

## recommended dimmers

### 120V:

#### Lutron

Skylark - S-600P/CT-603P  
Nova - NF-10  
Nova-T - NFT-10  
Diva - DVSCCL-153P  
Diva - DVCL-153P/DVWCL-153P  
Diva - CTCL-153P  
Diva - TTCL-100H  
Diva - DV-600P  
Maestro - MA-600

#### Leviton

IllumaTech - IP106/IP110/RP106  
Sureslide - 6621/6631  
Vizia - VP106

### 230 / 240V:

#### Lutron

Lyneo - LLSI-501/LLSI-502

#### Rania

RNDI-252

#### ELKO

Gli - ELKO 400 Gli

## dimensions

