

# NEMO

## TRU FLOOR

Roberto Paoli

Lampadaire à LED. Corps en aluminium extrudé, la partie supérieure et la base sont en aluminium moulé, diffuseurs en méthacrylate opalin et transparente. Structure en blanc, noir mat ou gris titane. La source LED uplight diffuse au plafond une lumière chaude, tandis que la source LED latérale génère une lumière indirecte d'ambiance. Dimmable double.



# NEMO

## TRU FLOOR

Roberto Paoli

### LED 3000K

#### Lamping

Source lumineuse	linear LED + LED board
Total power	41W + 16W
Émission	up + back, indirect
Allumage	double dimming, push on board
Tension	110/240V
Température couleur	3000K
Flux lumineux	4080lm + 2660lm
Typ cri	83
Classe Écologique	A+
Matériaux	aluminium + PC
Notes	cable length 3,3m, push on board

#### Codes

TRU LNN 24

white

TRU LWW 24

white

TRU LDD 24

white

#### Structure

black

white

titan grey

#### Diffuser

#### Emballage 1


Dimensions 28x26x20

Gross weight 8 Kg

#### Emballage 2

Dimensions 22x17x191

Gross weight 4 Kg



# NEMO

## TRU FLOOR

Roberto Paoli

### LED 2700K

#### Lamping

Source lumineuse	linear LED + LED board
Total power	41W + 16W
Émission	up + back, indirect
Allumage	double dimming, push on board
Tension	110/240V
Température couleur	2700K
Flux lumineux	4080lm + 2660lm
Typ cri	83
Classe Énergétique	A+
Matériaux	aluminium + PC
Notes	cable length 3,3m, push on board

#### Codes

	Structure	Diffuser
TRU LNN 25	black	
white		
TRU LWW 25	white	
white		
TRU LDD 25	titan grey	
white		

#### Emballage 1

Dimensions	28x26x20
Gross weight	8 Kg

#### Emballage 2

Dimensions	22x17x191
Gross weight	4 Kg

