



Luce Cilindrica S1

Designed by Ronan Bouroullec, 2025


110W - 5345lm - 2700K - CRI> 95

Modular suspension lamp emitting diffused light. Horizontal body in polished extruded aluminium with two LED strips for upward and downward emission. Integrated touch dimmer enables independent control of light outputs. Body encased in a sequence of borosilicate glass cylinders separated by traditional spacers. Can be installed in multiple parallel rows.

Are you a professional and your project needs consulting and support?

0050607076701

BOOK AN APPOINTMENT



Main specifications

| EAN | 8059607076781 | |
|------------------------|---------------------|--|
| Mounting | Suspension | |
| Environments | Indoor dry location | |
| Light source type | LED | |
| Light sources included | Yes | |
| LED type | LED Module | |
| Power (W) | 110 | |
| Lumen Output (lm) | 5345 | |

Physical

| Colour | Glass |
|--------------------------------|-------|
| Length (mm) | 1656 |
| Cord length (mm) | 2700 |
| Canopy length/diameter (mm) | 900 |
| Canopy width (mm) | 61 |
| Canopy height (mm) | 78 |
| Net weight (kg) | 12.5 |
| Package volume (m3) | 0.17 |
| IP internal | 20 |

Download

Mounting instructions



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional













https://professional.flos.com/en/global/product/luce-cilindrica-s1-f3773000/


F3773000

Photometric

| Lighting type | Indirect, Direct | |
|--------------------|------------------|--|
| Light distribution | Symmetric | |
| CCT (K) | 2700 | |
| CRI> | 95 | |

Electrical

| Insulation class | T | |
|--------------------|-------------------|--|
| Frequency (Hz) | 50/60 | |
| Main voltage (Vac) | 100-240 | |
| LED current (mA) | 500 | |
| Power supply | Integrated | |
| Dimmable | Yes | |
| Power supply type | Dimmer on board | |
| Dimming interface | Dimmer Integrated | |



| 01. | Luce Sferica/Cilindrica Cable | RF3750100 |
|-----|----------------------------------|-----------|
| | fixing kit | |
| 02. | Luce Sferica/Cilindrica Driver | RF32976 |
| 03. | Luce Orizzontale Ceiling rose | RF36893 |
| | dimmer | |
| 05. | Luce Sferica/Cilindrica Glass | RF37580 |
| | closing bushing | |
| 06. | Linear Difusser Luce Orizzontale | RF3746500 |
| | Suspension 1 | |
| 07. | Led Board for Luce Orizzontale | RF3746700 |
| | Suspension 1 | |
| 08. | Luce Cilindrica Closed glass | RF3750300 |
| | diffuser | |
| 09. | Luce Cilindrica Open glass | RF3750200 |
| | diffuser | |



FLOS

FLOS

FLOS

RF3750100

Luce Sferica/Cilindrica Cable fixing kit

Luce Sferica/Cilindrica Driver

RF36893

Luce Orizzontale Ceiling rose dimmer

Luce Sferica/Cilindrica Glass closing bushing

Linear Difusser Luce Orizzontale Suspension 1

Led Board for Luce Orizzontale Suspension 1

FLOS

Luce Cilindrica Closed glass diffuser



Luce Cilindrica Open glass diffuser