


Oeste Pendant

Assembly manual



FERM
LIVING

General Instructions

Please read before installation

Warning:

The safety of this product can only be guaranteed if the following instructions are observed during both installation and use (For indoor use only.). Please retain these instructions safely after installation.

If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

Please observe the following guidelines:

- Ensure that the power supply has been switched off prior to installation or removal of the product.
- Never undertake an electrical installation without the proper knowledge or training. If not familiar with electrical wiring, contact a qualified electrician.
- The product may in no way be modified or tampered with. Any modification may compromise safety and make the product itself dangerous to use. FERM LIVING does not accept any responsibility for products that have been modified.
- The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.

Cleaning instructions:

- Use only a soft cloth to clean the product. Dampen the cloth with water and soap or a mild cleanser if needed.


More information:

To access further information such as product overview and material descriptions, please visit our website at www.fermliving.com. If you have any questions or comments, please do not hesitate to contact us at info@fermliving.com.

Technical Specifications

Oeste Pendant


Voltage:	220-240V – 50Hz
Wattage:	17W
Dimmable:	Triac dimmable, 10-100%, Triac dimmer not included
Degree of protection:	IP20
Certification:	Class II, CE, CB, EMC, RoHs
Lightsource:	Changeable LED, average lifespan 50.000 hrs.
Light specification:	2700K, 140 Lumen, CRI >90
Weight:	10,5 kg



Box Content




(1x)




(3x)




(1x)



(6x)




(2x)




(2x)


01



02




03




04


//



05



06



Space to feel comfortably you